

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9466	topolog\$3 and ((established activated current active\$1) near2 (path\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 15:38
S2	1103	topolog\$3 and (((established activated current active\$1) near2 (path\$1 route\$1)) with (map\$4 determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 15:40
S3	651	("370".clas. "709".clas.) and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 15:41
S4	198	("370".clas. "709".clas.) and S2 and query\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 15:42
S6	336	((path near2 based) path\$1 based) same (network\$3 with topolog \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 16:04
S7	107	S6 and ((established activated current active \$1) near2 (path\$1 route \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 16:05
S13	156496	((established activated current active\$1) near2 (path\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 13:20
S14	400	(network\$3 near2 topolog\$3) same S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 13:20
S15	316	("370".clas. "709".clas.) and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 13:21
S17	16	("20010053148"   "20020009090"   "20040105438"   "20050099950"   "20060224813"   "6098188"   "6212190"   "6339595").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 13:32

S27	12	(path\$1 route\$1) near3 re\$1discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 14:05
S28	13	("20020088698"   "20020107023"   "20030118051"   "20040034714"   "20050036486"   "20050063312"   "20050281291"   "20060007863"   "5065399"   "7088706"   "7120118"   "7177295"   "7246173").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/05 14:10
S29	92	((path\$1 route\$1) near3 discovery) same topolog\$3) and ((established activated current active\$1) near2 (path\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 14:28
S51	894	discover\$4 with (node \$1 (network\$1 near2 (element\$1 device\$1))) with path\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 13:17
S55	86	((route\$1 path\$1) near3 discover\$4) and ((per adj2 hop) per \$1hop\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 13:45
S56	9520	(map\$4 display\$4 graph \$4) same (communication\$1 near2 (path\$1 route \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 13:53
S57	10126	(network\$4 near2 manag\$6) and (network \$4 near2 topolog\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 13:54
S59	296	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 13:54
S60	76881	(communication\$1 adj2 path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:12
S61	7160	(map\$4 display\$4 graph \$4) same (communication\$1 adj2 path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:12

S62	11531	(node\$1 ne\$1 (network \$1 near2 (element\$1 node\$1 device\$1)) router\$1 switch\$1) with (communication\$1 adj path\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:13
S63	1243	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:13
S64	814	((connection\$1 rout\$3 circuit\$1 topolog\$4 performance\$1) with (information\$1)) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:14
S65	543	event\$1 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:15
S66	2555	(map\$4 display\$4 graph \$4) with (communication\$1 adj2 path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:16
S67	523	S62 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:16
S68	324	((connection\$1 rout\$3 circuit\$1 topolog\$4 performance\$1) with (information\$1)) and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:17
S69	3392	(communication\$1 adj2 path\$1) same ((source \$1 start\$1) and (destination\$1 end\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:24
S70	499	(communication\$1 adj2 path\$1) same ((source \$1 start\$1) and (destination\$1 end\$1) and intermediate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:24
S71	57	S66 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:24
S72	897	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:43

S73	8	S66 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:43
S74	26	S51 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:45
S75	362577	((query\$3 request\$3 inquir\$4 ask\$3) with information\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:53
S76	188380	((query\$3 request\$3 inquir\$4 ask\$3) with information\$1) same ((receiv\$4 transmit\$4) with information\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:53
S77	85261	((map\$4 graph\$3 display\$4) with path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:54
S78	2725	((map\$4 graph\$3 display\$4) with (communication\$1 near2 path\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 14:54
S86	688	((node\$1 device\$1 element\$1) near3 discover\$4) with path \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 15:07
S87	80	((node\$1 device\$1 element\$1) near3 discover\$4) with path \$1).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 15:08
S88	125	((node\$1 device\$1 element\$1) near3 discover\$4) with path \$1).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 15:08
S89	21	((node\$1 device\$1 element\$1) near3 discover\$4) with path \$1).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 15:08
S97	4324	(select\$4 choos\$3 pick \$4) with (next succeeding another) with (node\$1 device\$1 element\$1 ne\$1 router \$1 switch\$3 terminal \$1) with (path\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:10

S98	43	((map\$4 graph\$3 display\$4) with (communication\$1 near2 path\$1)) and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:11
S99	10	(select\$4 choos\$3 pick \$4) adj3 ((succeeding another) adj2 (node\$1 device\$1 element\$1 ne \$1 router\$1 switch\$3 terminal\$1)) with (path \$1 connection\$1 route \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:17
S100	631	(select\$4 choos\$3 pick \$4) adj3 ((succeeding another next) adj2 (node\$1 device\$1 element\$1 ne\$1 router \$1 switch\$3 terminal \$1)) same (path\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:50
S102	239357	((map\$4 graph\$3 display\$4) with (path\$1 route\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:51
S103	105870	((quer\$5 request\$3) with (node\$1 device\$1 element\$1 ne\$1 router \$1 switch\$3 terminal \$1)) same (path\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:52
S104	295	S100 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:52
S105	122	S102 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 09:53
S106	3	"20010019554"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 10:04
S107	5	("20020143787"   "20030115345"   "5835720"   "6578087"   "6697338").PN. OR ("7293106").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/09 10:43

S110	3958965	((query\$3 request\$3 inquir\$4 ask\$3) (receiv \$3 obtain\$4 accept\$4 acquir\$4 collect\$4 gather\$4 get\$4)) same (information\$1 data\$1 configuration\$1 table\$1 address\$2 identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:12
S111	58891	S112 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:13
S112	64653	((establish\$3 activat\$4 confirm\$3 identif\$4 validated exist\$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1path \$1)) with (information \$1 data\$1 configuration \$1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:10
S113	3184745	((query\$3 request\$3 inquir\$4 ask\$3) (receiv \$3 obtain\$4 accept\$4 acquir\$4 collect\$4 gather\$4 get\$4)) with (information\$1 data\$1 configuration\$1 table\$1 address\$2 identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:14
S114	57296	S112 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:17
S115	1488258	(topolog\$4 rout\$4 switch\$4 connection\$1 performance\$1) with (information\$1 data\$1 configuration\$1 table\$1 address\$2 identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:17
S116	54524	S114 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:17

S117	9694	(map\$4 graph\$3 display \$4) with ((establish\$3 activat\$4 confirm\$3 identifi\$4 validated exist \$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1path \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:18
S118	4475	S116 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:19
S119	899	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S120	4981	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S121	2361	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S122	268	370/258.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S123	591	370/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S124	442	370/256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S125	191	370/257.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S126	1218	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S127	310	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25

S128	377	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S129	416	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S130	1005	370/449.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:25
S131	2003	370/351.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S132	3612	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S133	1560	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S134	1089	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S135	8339	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S136	8579	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S137	3765	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S138	2727	709/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S139	3962	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S140	1421	709/249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26



S141	40705	S119 S120 S121 S122 S123 S124 S125 S126 S127 S128 S129 S130 S131 S132 S133 S134 S135 S136 S137 S138 S139 S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:26
S142	457	S141 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:27
S143	106095	((quer\$5 request\$3) with (node\$1 device\$1 element\$1 ne\$1 router \$1 switch\$3 terminal \$1)) same (path\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:27
S144	2771	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data \$1)) same ((establish\$3 activat\$4 confirm\$3 identif\$4 validated exist \$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1path \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:29
S145	3229	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data \$1 parameter\$1 address \$3)) same ((establish\$3 activat\$4 confirm\$3 identif\$4 validated exist \$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1path \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:29
S146	1444	S145 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:30

S147	9694	(map\$4 graph\$3 display \$4) with ((establish\$3 activat\$4 confirm\$3 identif\$4 validated exist \$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1 path \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:30
S148	145	S146 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:30
S149	11562	(node\$1 ne\$1 (network \$1 near2 (element\$1 node\$1 device\$1)) router\$1 switch\$1) with (communication\$1 adj path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:34
S150	2562	(map\$4 display\$4 graph \$4) with (communication\$1 adj2 path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:34
S151	525	S149 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:34
S152	326	((connection\$1 rout\$3 circuit\$1 topolog\$4 performance\$1) with (information\$1)) and S151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:34
S153	180	S150 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 12:39
S154	34	("5355371"   "5521910"   "5606669"   "5610904"   "5699347"   "5734824"   "5796736"   "5881243"   "6016306"   "6119171"   "6151319"   "6151324").PN. OR ("6711171").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/12 12:44
S155	6	"369505".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/12 13:04

S156	8711	((compar\$3 match\$4 comparison\$1 differentiat\$4) with ((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data \$1 parameter\$1 address \$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:31
S157	6	S152 and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:32
S158	9694	(map\$4 graph\$3 display \$4) with ((establish\$3 activat\$4 confirm\$3 identifi\$4 validated exist \$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1path \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:51
S159	8711	((compar\$3 match\$4 comparison\$1 differentiat\$4) with ((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data \$1 parameter\$1 address \$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:52
S160	50680	((compar\$3 match\$4 comparison\$1 differentiat\$4) with ((topolog\$3 configuration\$1 link \$1state (link adj state \$1) connection\$1 circuit \$1 link\$1 path\$1) near2 (information\$1 configuration\$1 data\$1 parameter\$1 address \$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:53
S161	85	S158 and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:53
S162	443	S158 and S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 13:53

S163	6249	((compar\$4 match\$4 differentiat\$4 comparison\$1) same ((connection\$1 link\$1 path\$1) near2 (identifier \$1 address\$1 information configuration\$1 data\$1 parameter\$1 operator \$1)) same ((circuit\$1 node\$1 element\$1 router\$1 switch\$1 device\$1) near2 (identifier\$1 address\$2 information\$1 configuration\$1 data\$1 parameter\$1 operator \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:10
S164	150	(map\$4 graph\$3 display \$4) with ((establish\$3 activat\$4 confirm\$3 identif\$4 validated exist \$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1 path \$1)) and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:10
S165	105830	(compar\$4 match\$4 differentiat\$4 comparison\$1) with ((connection\$1 link\$1 path\$1 circuit\$1 node \$1 element\$1 router\$1 switch\$1 device\$1) near2 (identifier\$1 address\$1 information configuration\$1 data\$1 parameter\$1 operator \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:17
S166	59660	(compar\$4 match\$4 differentiat\$4 comparison\$1) with ((connection\$1 link\$1 path\$1 circuit\$1 node \$1 element\$1 router\$1 switch\$1 device\$1) adj2 (identifier\$1 address\$1 information configuration\$1 data\$1 parameter\$1 operator \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:18

S167	1958	(network\$3 near3 topolog\$5) and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:19
S168	11455	(network\$3 near3 topolog\$5) and ((path \$1 link\$1 connection\$1 route routes) near2 (discover\$4 establish\$4 establishment\$1 setup \$1 set\$1up provision \$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:21
S169	971	S167 and S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:21
S170	899	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S171	4981	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S172	2361	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S173	268	370/258.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S174	591	370/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S175	442	370/256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S176	191	370/257.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S177	1218	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S178	310	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22

S179	377	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S180	416	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S181	1005	370/449.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S182	2003	370/351.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S183	3612	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S184	1560	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S185	1089	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S186	8339	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S187	8579	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S188	3765	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S189	2727	709/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S190	3962	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S191	1421	709/249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22

S192	40705	S170 S171 S172 S173 S174 S175 S176 S177 S178 S179 S180 S181 S182 S183 S184 S185 S186 S187 S188 S189 S190 S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S193	267	S192 and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:22
S194	11	(US-20030093709-\$ or US-20030112808-\$). did. or (US-5825780-\$ or US-5870564-\$ or US- 6697338-\$ or US- 6366582-\$ or US- 6711171-\$ or US- 7200646-\$ or US- 6859452-\$ or US- 7382785-\$ or US- 5954797-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/02/12 14:25
S196	2	S194 and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:26
S197	897	S169 and ((path\$1 link \$1 connection\$1 route) near2 (establish\$4 establishment\$1 setup \$1 set\$1up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:33
S198	633	("370".clas. "709".clas.) and S197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:33
S199	10979	(compar\$4 match\$4 differentiat\$4 comparison\$1) with ((connection\$1 link\$1 path\$1 circuit\$1 node \$1 element\$1 router\$1 switch\$1 device\$1) adj2 (identifier\$1 address\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:41
S200	13867	(query\$3 request\$3 inquir\$4 ask\$3) with ((connection\$1 link\$1 path\$1 circuit\$1 node \$1 element\$1 router\$1 switch\$1 device\$1) adj2 (identifier\$1 address\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:41

S201	1832	S199 and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:41
S202	539	S201 and ((path\$1 link \$1 connection\$1 route) near2 (establish\$4 establishment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:42
S203	145	(network\$3 near3 topolog\$5) and S202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:48
S204	4305	(compar\$4 match\$4 differentiat\$4 comparison\$1) with ((connection\$1 path\$1 circuit\$1) adj2 (identifier \$1 address\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:51
S205	228	S204 and ((path\$1 link \$1 connection\$1 route) near2 (new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:52
S206	55	(network\$3 near3 topolog\$5) and S205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 14:52
S207	11	((US-20030093709-\$ or US-20030112808-\$). did. or (US-5825780-\$ or US-5870564-\$ or US- 6697338-\$ or US- 6366582-\$ or US- 6711171-\$ or US- 7200646-\$ or US- 6859452-\$ or US- 7382785-\$ or US- 5954797-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/02/13 12:45
S208	7	(bandwidth\$1 capacit\$4 resource\$1) with (information\$1 data\$1) and S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:46
S209	2	"7293106".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 13:09
S210	2	"7293106".pn. and (table\$1 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 13:10
S211	2	((HO-KEUNG) near2 (LEE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 14:51



S212	26946	((HO-KEUNG) near2 (LEE)).INV. nad (lucent).as.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 14:52
S213	31652	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data \$1 identifier\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:52
S214	42815	((establish\$3 activat\$4 confirm\$3 identif\$4 validated exist\$4) near2 (path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1 path \$1))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:54
S215	252088	((topolog\$3 configuration\$1 link \$1state (link adj state \$1) circuit\$1 device\$1 connection\$1 path\$1 link\$1) near2 (information\$1 configuration\$1 data\$1 identifier\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:54
S216	11199	((HO-KEUNG) near2 (LEE)).INV. (lucent).as.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 14:54
S217	12713	S214 and S215	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 14:54
S218	163	S216 and S217	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 14:54
S219	66640	((path\$1 connection\$1 (communication\$1 near2 path\$1) communication\$1 path \$1) with (information\$1 configuration\$1 table \$1))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:57
S220	55445	((circuit\$1 node\$1 element\$1 device\$1) near2 (address\$2 identifier\$1 parameter \$1 id\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:57
S221	3842	S219 and S220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:57
S223	1311	S214 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:58

S225	23	S216 and S223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 14:58
------	----	---------------	--	----	-----	---------------------

2/ 13/ 2009 3:02:45 PM

C:\Documents and Settings\rpasia\My Documents\EAST\Workspaces\10779442new02.wsp